

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.03.2019



Version number 1.02

Revision: 27.03.2019

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Imbelan-L/4038
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cleaning agent / Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Dr. W. Kolb AG
Maienbrunnenstrasse 1
CH-8908 Hedingen
Schweiz
Tel +41 44 762 4646
Fax +41 44 762 4600
www.kolb.ch
- **Further information obtainable from:**
Regulatory Affairs
+41 44 762 4733
E-mail: product.safety@kolb.ch
- **Only representative (according to Art. 8 of Regulation (EC) 1907/2006)**
Dr. W. Kolb Nederland B.V.
Postbus 123
NL-4790 AC Klundert
E-Mail: reach@kolb.ch
- **1.4 Emergency telephone number:**
Phone (24 h): +41 44 466 6448
Fax (24 h): +41 44 466 6660

2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Acute Tox. 4 H302 Harmful if swallowed.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Alcohol C10, ethoxylated
- **Hazard statements**
H302 Harmful if swallowed.

(Contd. on page 2)

Trade name: Imbelan-L/4038

(Contd. of page 1)

H318 Causes serious eye damage.

• Precautionary statements

- P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P280 Wear eye protection / face protection.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P330 Rinse mouth.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information:

Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

• 2.3 Other hazards No further relevant information available.**3 Composition/information on ingredients****• 3.2 Chemical characterisation: Mixtures****• Description:** Cleaner with surfactants**• Dangerous components:**

CAS: 26183-52-8 Polymer	Alcohol C10, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302	>25-≤50%
CAS: 26027-37-2 Polymer	N-(2-Hydroxyethyl)oleamide, ethoxylated Eye Irrit. 2, H319	>2.5-<10%
CAS: 52-51-7 EINECS: 200-143-0	bronopol (INN) Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<0.025%
CAS: 55965-84-9 EC number: 611-341-5	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	<0.0015%

4 First aid measures**• 4.1 Description of first aid measures**

- General information:** No special measures required.
• After inhalation: Supply fresh air; consult doctor in case of complaints.
• After skin contact:
 Immediately rinse with water.
 Generally the product does not irritate the skin.
• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
• After swallowing: Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures**• 5.1 Extinguishing media****• Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**• 5.2 Special hazards arising from the substance or mixture** No further relevant information available.**• 5.3 Advice for firefighters****• Protective equipment:** No special measures required.

GB

(Contd. on page 3)

Trade name: Imbelan-L/4038

(Contd. of page 2)

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Recommended storage temperature:** 5 °C - 30 °C
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

52-51-7 bronopol (INN)	
MAK (Germany)	vgl. Abschn. IIb und Xc
55965-84-9 Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
MAK (Germany)	Long-term value: 0.2E mg/m ³ vgl. Abschn. Xc

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Trade name: Imbelan-L/4038

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

PVC

Recommended thickness of the material: ≥ 0.3 mm

- **Penetration time of glove material**

> 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **As protection from splashes gloves made of the following materials are suitable:**

PVC

Nitrile rubber, NBR

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Fluid

Colour:

Yellow-brown

- **Odour:**

Nearly odourless

- **Odour threshold:**

Not determined.

- **pH-value:**

~ 8

- **Change in condition**

Initial boiling point and boiling range: Undetermined.

Setting temperature / range: < -5 °C

- **Flash point:**

>100 °C

- **Flammability (solid, gas):**

Not applicable.

- **Ignition temperature:**

Not determined.

- **Decomposition temperature:**

Not determined.

- **Auto-ignition temperature:**

Product is not selfigniting.

- **Explosive properties:**

Product does not present an explosion hazard.

- **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

- **Vapour pressure:**

Not determined.

- **Density:**

(20 °C) ~1.12 g/cm³

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **Evaporation rate**

Not determined.

- **Solubility in / Miscibility with water:**

Not determined.

- **Partition coefficient: n-octanol/water:**

Not determined.

- **Viscosity:**

Dynamic:

(25 °C) <500 mPa.s

Kinematic:

Not determined.

- **9.2 Other information**

No further relevant information available.

GB

(Contd. on page 5)

Trade name: Imbelan-L/4038

(Contd. of page 4)

10 Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Harmful if swallowed.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information• **12.1 Toxicity**• **Aquatic toxicity:**

EC50	~25 mg/l (literature data)
------	----------------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **COD-value:** ~ 800 g O₂/kg
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even small quantities leak into the ground.
The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
- **12.5 Results of PBT and vPvB assessment** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations• **13.1 Waste treatment methods**• **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• **European waste catalogue**

16 10 01*	aqueous liquid wastes containing dangerous substances
-----------	---

(Contd. on page 6)

Trade name: Imbelan-L/4038

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| • 14.1 UN-Number | Void |
| • ADR, ADN, IMDG, IATA | |
| • 14.2 UN proper shipping name | Void |
| • ADR, ADN, IMDG, IATA | |
| • 14.3 Transport hazard class(es) | |
| • ADR, ADN, IMDG, IATA | |
| • Class | Void |
| • 14.4 Packing group | Void |
| • ADR, IMDG, IATA | |
| • 14.5 Environmental hazards: | |
| • Marine pollutant: | No |
| • 14.6 Special precautions for user | Not applicable. |
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **Reach: Compliance with Regulation (EC) 1907/2006**
We confirm that all substances contained in this preparation (including monomers and other reactants of polymers) have been registered by Kolb and/or our suppliers. Substances imported from Switzerland have been registered by our only representative (see section 1 of this SDS).
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

- **Department issuing SDS:** Regulatory Affairs
- **Contact:** E-mail: product.safety@kolb.ch

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.03.2019

Version number 1.02

Revision: 27.03.2019

Trade name: Imbelan-L/4038

(Contd. of page 6)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

• *** Data compared to the previous version altered.**

GB